

A brief MySQL tutorial

CSE 134A: Web Service Design and
Programming

Fall 2001

9/28/2001

Creating and Deleting Databases

1) Creating a database

```
mysql> CREATE database 134a;
```

```
Query OK, 1 row affected (0.00 sec)
```

2) Deleting a database

```
mysql> DROP database 134a;
```

```
Query OK, 0 rows affected (0.00 sec)
```

Creating a Table

3) After we have created the database we use the USE statement to change the current database;

```
mysql> USE 134a;
```

Database changed

4) Creating a table in the database is achieved with the CREATE table statement

```
mysql> CREATE TABLE president (  
    ->     last_name varchar(15) not null,  
    ->     first_name varchar(15) not null,  
    ->     state varchar(2) not null,  
    ->     city varchar(20) not null,  
    ->     birth date not null default '0000-00-00',  
    ->     death date null  
    -> );
```

Query OK, 0 rows affected (0.00 sec)

Examining the Results

5) To see what tables are present in the database use the SHOW tables:

```
mysql> SHOW tables;
```

```
+-----+
| Tables_in_134a |
+-----+
| president      |
+-----+
1 row in set (0.00 sec)
```

6) The command DESCRIBE can be used to view the structure of a table

```
mysql> DESCRIBE president;
```

```
+-----+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default      | Extra | Privileges |
+-----+-----+-----+-----+-----+-----+-----+
| last_name  | varchar(15) |      |     |              |       | select,insert,update,references |
| first_name | varchar(15) |      |     |              |       | select,insert,update,references |
| state      | char(2)     |      |     |              |       | select,insert,update,references |
| city       | varchar(20) |      |     |              |       | select,insert,update,references |
| birth      | date        |      |     | 0000-00-00   |       | select,insert,update,references |
| death      | date        | YES  |     | NULL         |       | select,insert,update,references |
+-----+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

Inserting / Retrieving Data into / from Tables

7) To insert new rows into an existing table use the INSERT command:

```
mysql> INSERT INTO president values ('Washington',  
                                     'George',  
                                     'VA',  
                                     'Westmoreland County',  
                                     '17320212',  
                                     '17991214');
```

Query OK, 1 row affected (0.00 sec)

8) With the SELECT command we can retrieve previously inserted rows:

```
mysql> SELECT * FROM president;
```

last_name	first_name	state	city	birth	death
Washington	George	VA	Westmoreland County	1732-02-12	1799-12-14

1 row in set (0.00 sec)

Selecting Specific Rows and Columns

9) Selecting rows by using the WHERE clause in the SELECT command

```
mysql> SELECT * FROM president WHERE state="VA";
```

last_name	first_name	state	city	birth	death
Washington	George	VA	Westmoreland County	1732-02-12	1799-12-14

```
1 row in set (0.00 sec)
```

10) Selecting specific columns by listing their names

```
mysql> SELECT state, first_name, last_name FROM president;
```

state	first_name	last_name
VA	George	Washington

```
1 row in set (0.00 sec)
```

Deleting and Updating Rows

11) Deleting selected rows from a table using the DELETE command

```
mysql> DELETE FROM president WHERE first_name="George";
```

```
Query OK, 1 row affected (0.00 sec)
```

12) To modify or update entries in the table use the UPDATE command

```
mysql> UPDATE president SET state="CA" WHERE first_name="George";
```

```
Query OK, 1 row affected (0.00 sec)
```

```
Rows matched: 1  Changed: 1  Warnings: 0
```

Loading a Database from a File

13) Loading a your data from a file into a table.

Assuming we have a file named "president_db" in the current directory, with multiple INSERT commands in it, we can use the LOAD DATA command to insert the data into the table president.

```
mysql> LOAD DATA LOCAL INFILE 'president_db' INTO TABLE president;
```

```
Query OK, 45 rows affected (0.01 sec)
```

```
Records: 45 Deleted: 0 Skipped: 0 Warnings: 0
```

Note, that any ascii file that contains a valid sequence of MySQL commands on separate lines can be read in from the command line as:

```
>mysql -u USERNAME -p < MY_Mysql_FILE
```


More on SELECT

A general form of SELECT is:

SELECT *what to select*

FROM *table(s)*

WHERE *condition that the data must satisfy;*

Comparison operators are: < ; <= ; = ; != or <> ; >= ; >

Logical operators are: AND ; OR ; NOT

Comparison operator for special value NULL: IS

More on SELECT (cont.)

14) The following MySQL query will return all the fields for the presidents whose state field is "NY";

```
mysql> SELECT * FROM president WHERE state="NY";
```

```
+-----+-----+-----+-----+-----+-----+
| last_name | first_name | state | city | birth | death |
+-----+-----+-----+-----+-----+-----+
| Van Buren | Martin | NY | Kinderhook | 1782-12-05 | 1862-07-24 |
| Fillmore | Millard | NY | Cayuga County | 1800-01-07 | 1874-03-08 |
| Roosevelt | Theodore | NY | New York | 1858-10-27 | 1919-01-06 |
| Roosevelt | Franklin D. | NY | Hyde Park | 1882-01-30 | 1945-04-12 |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```

More on SELECT (cont.)

15) We can limit the values of the returned fields as it is shown bellow:

```
mysql> SELECT last_name, first_name FROM president WHERE state="NY";
```

```
+-----+-----+  
| last_name | first_name |  
+-----+-----+  
| Van Buren | Martin     |  
| Fillmore  | Millard    |  
| Roosevelt | Theodore   |  
| Roosevelt | Franklin D. |  
+-----+-----+
```

```
4 rows in set (0.01 sec)
```

More on SELECT (cont.)

16) The following entry SELECT will return the last name and birth date of presidents who are still alive

Note: The comparison operator will not work in this case:

```
mysql> SELECT * FROM president WHERE death = NULL;
```

```
Empty set (0.00 sec)
```

```
mysql> SELECT last_name, birth FROM president WHERE death is NULL;
```

```
+-----+-----+
| last_name | birth      |
+-----+-----+
| Ford      | 1913-07-14 |
| Carter    | 1924-10-01 |
| Reagan    | 1911-02-06 |
| Bush      | 1924-06-12 |
| Clinton   | 1946-08-19 |
| Bush      | 1946-07-06 |
+-----+-----+
```

```
6 rows in set (0.00 sec)
```

More on SELECT (cont.)

17) This command will select the presidents who were born in the 18th century

```
mysql> SELECT last_name, birth FROM president WHERE birth<"1800-01-01";
```

```
+-----+-----+  
| last_name | birth      |  
+-----+-----+  
| Washington | 1732-02-12 |  
| Adams      | 1735-10-30 |  
| Jefferson  | 1735-04-13 |  
| Madison    | 1751-03-16 |  
| Monroe     | 1758-04-28 |  
| Adams      | 1767-07-11 |  
| Jackson    | 1767-03-15 |  
| Van Buren  | 1782-12-05 |  
| Harrison   | 1773-02-09 |  
| Tyler      | 1790-03-29 |  
| Polk       | 1795-11-02 |  
| Taylor     | 1784-11-24 |  
| Buchanan   | 1791-04-23 |  
+-----+-----+
```

```
13 rows in set (0.00 sec)
```

More on SELECT (cont.)

18) The following command will select the president who was born first

```
mysql> SELECT last_name, birth from president ORDER BY birth ASC LIMIT 1;
```

```
+-----+-----+
```

```
| last_name | birth      |
```

```
+-----+-----+
```

```
| Washington | 1732-02-12 |
```

```
+-----+-----+
```

```
1 row in set (0.00 sec)
```

More on SELECT (cont.)

19) The following query will return the names of first 5 states (in descending order) in which the greatest number of presidents have been born

```
mysql> SELECT state, count(*) AS times FROM president GROUP BY state  
-> ORDER BY times DESC LIMIT 5;
```

```
+-----+-----+  
| state | times |  
+-----+-----+  
| VA    | 8    |  
| OH    | 7    |  
| MA    | 4    |  
| NY    | 4    |  
| NC    | 2    |  
+-----+-----+
```

```
5 rows in set (0.00 sec)
```

More on SELECT (cont.)

20) The following query will select presidents who have been born in the last 60 years

```
mysql> SELECT * FROM president WHERE (YEAR(now()) - YEAR(birth)) < 60;
```

last_name	first_name	state	city	birth	death
Clinton	Bill	AR	Hope	1946-08-19	NULL
Bush	George W.	CT	New Haven	1946-07-06	NULL

```
2 rows in set (0.00 sec)
```

Useful function to retrieve parts of dates are: **YEAR()**, **MONTH()**, **DAYOFMONTH()**, **TO_DAY()**.

More on SELECT (cont.)

21) The following query will sort presidents who have died by their age and list the first 10 in descending order.

```
mysql> SELECT last_name, birth, death, FLOOR((TO_DAYS(death) - TO_DAYS(birth))/365) AS age  
      -> FROM president  
      -> WHERE death is not NULL ORDER BY age DESC LIMIT 10;
```

last_name	birth	death	age
Jefferson	1735-04-13	1826-07-04	91
Adams	1735-10-30	1826-07-04	90
Hoover	1874-08-10	1964-10-20	90
Truman	1884-05-08	1972-12-26	88
Madison	1751-03-16	1836-06-28	85
Nixon	1913-01-09	1994-04-22	81
Adams	1767-07-11	1848-02-23	80
Van Buren	1782-12-05	1862-07-24	79
Jackson	1767-03-15	1845-06-08	78
Eisenhower	1890-10-14	1969-03-28	78

Working with Multiple Tables

22) Often it is useful to separate data in conceptually distinct groups and store them in separate tables. Assuming we have a table that contains students' personal information, and we have another table that contains test scores of students. We can create a common field in each table, say "ssn" and work with the two tables together as follows:

```
SELECT last_name, address, test_date, score  
FROM test, student  
WHERE test.ssn = student.ssn;
```

For further examples, tutorials, and syntax visit:

<http://www.mysql.com/documentation/index.html>

http://www.mysql.com/documentation/mysql/bychapter/manual_Introduction.html#General-SQL